


REST AVAILABLE COPY


FIG. 2



BEST AVAILABLE COPY


10/526077

3/7



DEST AVAILABLE COPY


FIG. 4



REST AVAILABLE COPY

FIG. 5 -50 Sound T_MSC O_MSC **SSMS** HLR Storager inquire location (S501) routing request message (S502) routing information (S503) routing information responsive to the inquiry (S504) request a trunk connection (ISUP) (S505) request a trunk connection (ISUP) with called- and/or caller-identifying information and call state (S506) request an adequate code associated with the call state for the called (\$507) rm of a determined code (S508) transmit a tone-replacing sound specified by the determined code (S509) call answered request release of the trunk connection (S510) data or voice communication (S511)

AVAILABLE COPY



BEST AVAILABLE COPY

100 Hills

0/526077

7/7

FIG. 7

Paran	neter=Cal	lingFeat	uresInd	licator2	Length=V		Tag=H'9fff7d		
Contents								meaning	
Н	G	F	E	D	С	В	A	Octet	Notes
VMSB		VMSU		MC		CC .		1	, a
FMSNA		FMSB		FMSU		VMSNA		2	
SRBT •		NCW		Prefer_Sys		MUDN		3	
								n	

\
defined 'reserve' field before

FIG. 8

subscriber information	sound code for event			
	default code			
•	code for each caller or each caller group			
	code for each calling time zone			
XXX-XXX-0001	code for busy			
	code for call-waiting			
	:			
	default code			
	code for each caller or each caller group			
	code for each calling time zone			
XXX-XXX-0002	code for busy			
	code for call-waiting			
·				

TST AVAILABLE COPY